[sherry]

A lot of space for individuality.

The options are about the armpart for the seam processing up to the furniture legs. [sherry] appears flexible and adapts itself with pleasure to its owner. Thus he receives a unique piece in filigree appearance which is very comfortable as well. Design: Anke Reuter






Cover: V34/21 silver, SB armpart



www.schillig.com








Created 13. 05. 2019

sherry 24600



Created 13 05 2019

Flexible headrest


The items can be equipped with a step-by-step headrest height



adjustment function for surcharge. Item no. = KV1, KV2, KV3.



information. SB has an armpart adjustment with continuously variable metal part for surcharge.



Decorative stitching may be different in leather oder fabrics



bronze, anthracite or black. Please indicate when ordering.

Two comforts in seating

This model is available in different seat comforts. Comfort Basic is for firm and



sherry 24600

stable seating, Comfort Soft is for modern, trendy and softer seating. Please indicate when ordering.

Order information

Seat upholstery structure:

Comfort Basic stands for comfortable seating and Comfort Soft for modern, trendy seating comfort with a casual look. Please indicate when ordering.

Armparts:

off-the-floor, with leg SA - cubic, width ca. 19 cm (incl. base protruding) SB - swung, no function, width ca. 29 cm - overmeasure + ca. 10 cm, SB is also available with armpart adjustment (width if armpart is up: ca. 20 cm; width if armpart is down: ca. 32 cm)

Width upper armpart surface at SA: approx. 16 cm

Please note:

If the double seam is chosen, the SA armpart has a flat-felled seam.

Flexible armparts:

In the case of flexible armparts with continuously variable metal part, a max. weight-bearing capacity of up to 25 kg is guaranteed. They are not to be used for sitting on.

Back sides of sofas:

All pieces are genuinely upholstered at the back.

Positioning diagram:

Please send us a positioning diagram, depending on the many different variations available. We have marked the connecting sides in red for end elements in the type guide.

Base leg Z:

If elements and sofas with or without an armpart are to be attached directly to elements or sofas with or without an armpart, a base leg Z is required. The base leg must be ordered separately. See price list.

Connecting sides:

For a surcharge, the connecting sides can be supplied in the original cover instead of stretch fabric.

Seam appearance:

Decorative, felled or double seams may appear different in fabric and leather versions. For manufacturing reasons. seams may be left out of the fabric version or replaced with simple seams.

Contrasting thread:

In some leather colours, this model can be supplied with a contrasting coloured thread, at no surcharge. The colours as given can be found on the main sheet of each leather quality in the fabric/leather wagon. Please always specify the contrasting thread number or tonal colours will be supplied.

Recommendation:

We recommend the tables from the model range 40024 as an accessory. As storage place onto the ottomen we recommend the plexiglass cover L 011 or a roll mat fom model range 10006. We recommend the armchair No. 29600 [mademoiselle] as an occasional furniture.

All of the dimensions given are approximate dimensions in cm. We reserve the right to make changes. Dimensions are given as follows: width/depth/height/seat height. The measures refer to the armpart SA. The depth measures contain protruding of the overlapping headrest, if the headrest is folded backwards. The measures include th protruding of the base with the SA armpart and refer to the design with tucks. The measures refer to the leg height ca. 19 cm. Seat depth: ca. 64 cm Height with function: ca. 94 cm

Measurements of the corner combinations:

With this model the seat of the one arm chaises and corner sofas with ottoman the seat rises approx. 2 to 3 cm into the connecting side. Therefore other total measures occur than by pure addition of the article measurements. Please note.

Information on the upholstery structure:

Chamber cushions filled with a high-quality mix of polyester fibres and foam rods have been used in the back of this model. This can lead to depression of the individual chambers, which is a typical product characteristic.

Especially loose-fitting upholstery:

The upholstery of this model has intentionally been made especially loose to create a certain visual effect. The especially loose-fitting upholstery is characterized by an extremely soft surface. When being delivered, the cover shows a distinctive wave formation, which design- and constructionwise is being desired and can get more by usage. It is not a quality defect but a model-specific characteristic.

Order checklist

- Structure and cover
- Leg design/-height
- Wooden leg colour
- Metal colour for legs
- Seat upholstery structure Comfort Basic
- or Comfort Soft (order information)
- Double seam or tuck look
- Armpart design
- Flexible armparts (surcharge)
- Manually headrest adj. (surcharge)
- Ottomen/panel for ottomen (order
- information)
- Positioning diagram
- base leg Z
- Contrasting thread
- Lumbar pillows



sherry 24600

Upholstered furniture frame structure

Frame – seat: metal construction; back: beech wood structure
Seat suspension with permanently elastic wave springs
Seat upholstery structure in Basic or Soft (please indicate when ordering): coil spring core incorporated into ergo-PUR foam with diolen cover

4. Back suspension with upholstery strap5. Back upholstery structure with high density mix of polyester fibres and foam rods



The design of the cross section shown here does not correspond to the model on this page of the catalogue.

F P5

Upholstered furniture made with passion.

Your model is the product of German design and engineering. Family firm W.SCHILLIG has 70 years' experience of technical skill, trend-setting ideas, attractive design and know-how from Germany. The result is upholstered furniture that guarantees first class comfort and attention to detail. We keep sustainability and protection of resources in mind when choosing the materials we use.



The RAL quality mark for furniture stands for the certain knowledge that this is a non-hazardous piece of furniture of reliably high quality and with an attractive design. The Deutsche Gütegemeinschaft Möbel makes sure of this with numerous tests. Inspections also safeguard the testing system.



CEPHOFTES

5-114-00001

The highest European accolade for systematic, in-house, environmental management. Improvement of environmental protection services.

Legs



FP6

seat height ca. 42 cm	natural oak (PS8)	(P57)	metal colours	COI.	col. except matt chrome look
	F M1	F N5	F L9	F J3	F L6
ca. 21 cm/ seat height ca. 44 cm	wooden runner, natural oak (P58)	wooden runner, natural walnut (P57)	metal runner, diff. metal colours	metal leg diff. metal col.	metal leg diff. metal col. except matt chrome look

FM4

Available metal colours

F 8X



F 8Y

www.schillig.com



Metal colours:

Some of the metal legs are available in different metal colours. Please indicate the colour when ordering. The FL6 /F P5 leg is not available in chrome matt look. Please note!

Powder-coated:

The colours M21 silver, M56 bronze, M95 anthracite and M99 black are powder-coated.

Chromatic aberrations:

The wooden structure is different from ordering to ordering. Deliveries after colour samples are basically excluded from complaints and exchange. We take care of the best correspondence possible.

Leg and seat heights:

Due to different leg heights, the model is available in different seat and total heights. The leg design has to be indicated.

Legs and floor protection:

In the case of very slender furniture legs in deliberately filigree shapes and with small surfaces it comes to a raised pressure on the floor. We recommend felt pads or another suitable mat as protection for scratches and pressure points in connection with sensitive and/or soft floors. Even if

you hardly slip the furniture it can be helpful have a carpeted floor.





sherry 24600

sherry - examples for living rooms





292x230



corner combination EG 70L laf-N 70K-K 80R raf

358x230

corner combination

N 80L laf - EG 70R raf



292x230



